

## Author index

### Volume 79 (1998)

- Algar, E., see Holmes, G.P., 57  
 Alonso, S., see Renoncourt, Y., 185  
 Arce, V., see Renoncourt, Y., 185  
 Arraiano, C.M., see Till, D.D., 51
- Baldessari, D., see Mariani, M., 131  
 Beddington, R.S.P., see King, T., 29  
 Betist, M., see Joore, J., 5  
 Boncinelli, E., see Mariani, M., 131  
 Brown, N.A., see King, T., 29  
 Bundy, J., Rogers, R., Hoffman, S., Conway, S.J., Segmental expression of aggrecan in the non-segmented perinotochordal sheath underlies normal segmentation of the vertebral column, 213  
 Burrige, L., see Holmes, G.P., 57
- Caldwell, M.C., Datta, S., Expression of *Cyclin E* or *DP/E2F* rescues the G1 arrest of *trtl* mutant neuroblasts in the *Drosophila* larval central nervous system, 121  
 Carroll, P., see Renoncourt, Y., 185  
 Chen, R., Schuh, C.-K., see Kühnlein, R.P., 161  
 Chen, X., see Weisberg, E., 17  
 Consalez, G.G., see Mariani, M., 131  
 Conway, S.J., see Bundy, J., 213  
 Corbin, V., see Rusconi, J.C., 39  
 Corradi, A., see Mariani, M., 131
- Datta, S., see Caldwell, M.C., 121  
 David, R., Joos, T.O., Dreyer, C., Anteroposterior patterning and organogenesis of *Xenopus laevis* require a correct dose of germ cell nuclear factor (xGCMF), 137  
 de Lourdes Elias, M., see Till, D.D., 51  
 Doetschman, T., see Paradies, N.E., 165  
 Doyle, M., see Moore, A.W., 169  
 Dreyer, C., see David, R., 137
- Elgar, S.J., see Till, D.D., 51
- Farnsworth, C.L., see Weisberg, E., 17  
 Fesce, R., see Mariani, M., 131  
 Filippi, P., see Renoncourt, Y., 185  
 Fortini, M.E., see Ye, Y., 199  
 Friedman, R.A., see Paradies, N.E., 165  
 Fuß, B., Hoch, M., *Drosophila* endoderm development requires a novel homeobox gene which is a target of Wingless and Dpp signalling, 83
- Grandel, H., Schulte-Merker, S., The development of the paired fins in the Zebrafish (*Danio rerio*), 99  
 Gruss, P., see Larsson, L.-I., 153
- Hastie, N.D., see Moore, A.W., 169  
 Hecksher-Sorensen, J., see Moore, A.W., 169
- Hoch, M., see Fuß, B., 83  
 Hoffman, S., see Bundy, J., 213  
 Hogan, B.L.H., see Weisberg, E., 17  
 Holmes, G.P., Negus, K., Burrige, L., Raman, S., Algar, E., Yamada, T., Little, M.H., Distinct but overlapping expression patterns of two vertebrate *slit* homologs implies functional roles in CNS development and organogenesis, 57  
 Hougaard, D.M., see Larsson, L.-I., 153
- Joore, J., van de Water, S., Betist, M., van den Eijnden-van Raaij, A., Zivkovic, D., Protein kinase A is involved in the induction of early mesodermal marker genes by activin, 5  
 Joos, T.O., see David, R., 137
- Kühnlein, R.P., Chen, R., Schuh, C.-K., A transcription unit at the *ken* and *barbie* gene locus encodes a novel *Drosophila* zinc finger protein, 161  
 King, T., Beddington, R.S.P., Brown, N.A., The role of the *brachyury* gene in heart development and left–right specification in the mouse, 29
- Larsson, L.-I., St-Onge, L., Hougaard, D.M., Sosa-Pineda, B., Gruss, P., Pax 4 and 6 regulate gastrointestinal endocrine cell development, 153  
 Linz, B., see Till, D.D., 51  
 Little, M.H., see Holmes, G.P., 57
- Malgaretti, N., see Mariani, M., 131  
 Mariani, M., Corradi, A., Baldessari, D., Malgaretti, N., Pozzoli, O., Fesce, R., Martinez, S., Boncinelli, E., Consalez, G.G., *Mab21*, the mouse homolog of a *C. elegans* cell-fate specification gene, participates in cerebellar, midbrain and eye development, 131  
 Martinez, S., see Mariani, M., 131  
 Marujo, P.E., see Till, D.D., 51  
 McCarthy, J.E.G., see Till, D.D., 51  
 McClellan, J.A., see Till, D.D., 51  
 McInnes, L., see Moore, A.W., 169  
 Min, L., see Yarnitzky, T., 73  
 Moore, A.W., Schedl, A., McInnes, L., Doyle, M., Hecksher-Sorensen, J., Hastie, N.D., YAC transgenic analysis reveals *Wilms' Tumour 1* gene activity in the proliferating coelomic epithelium, developing diaphragm and limb, 169
- Negus, K., see Holmes, G.P., 57  
 Newbury, S.F., see Till, D.D., 51
- Paradies, N.E., Sanford, L.P., Doetschman, T., Friedman, R.A., Developmental expression of the TGFβs in the mouse cochlea, 165  
 Pozzoli, O., see Mariani, M., 131
- Raman, S., see Holmes, G.P., 57  
 Renoncourt, Y., Carroll, P., Filippi, P., Arce, V., Alonso, S., Neurons

- derived in vitro from ES cells express homeoproteins characteristic of motoneurons and interneurons, 185
- Rogers, R., see Bundy, J., 213
- Rusconi, J.C., Corbin, V., Evidence for a novel Notch pathway required for muscle precursor selection in *Drosophila*, 39
- Sanford, L.P., see Paradies, N.E., 165
- Schedl, A., see Moore, A.W., 169
- Schulte-Merker, S., see Grandel, H., 99
- Seago, J.E., see Till, D.D., 51
- Sosa-Pineda, B., see Larsson, L.-I., 153
- St-Onge, L., see Larsson, L.-I., 153
- Till, D.D., Linz, B., Seago, J.E., Elgar, S.J., Marujo, P.E., de Lourdes Elias, M., Arraiano, C.M., McClellan, J.A., McCarthy, J.E.G., Newbury, S.F., Identification and developmental expression of a 5'-3' exoribonuclease from *Drosophila melanogaster*, 51
- van de Water, S., see Joore, J., 5
- van den Eijnden-van Raaij, A., see Joore, J., 5
- Volk, T., see Yarnitzky, T., 73
- Weisberg, E., Winnier, G.E., Chen, X., Farnsworth, C.L., Hogan, B.L.H., Whitman, M., A mouse homologue of FAST-1 transduces TGF $\beta$  superfamily signals and is expressed during early embryogenesis, 17
- Whitman, M., see Weisberg, E., 17
- Winnier, G.E., see Weisberg, E., 17
- Yamada, T., see Holmes, G.P., 57
- Yarnitzky, T., Min, L., Volk, T., An interplay between two EGF-receptor ligands, Vein and Spitz, is required for the formation of a subset of muscle precursors in *Drosophila*, 73
- Ye, Y., Fortini, M.E., Characterization of *Drosophila* Presenilin and its colocalization with Notch during development, 199
- Zivkovic, D., see Joore, J., 5

## Subject index

### Volume 79 (1998)

**Actinopterygians;** Apical ectodermal ridge; Apical fold; Chondrichthyan; *Danio rerio*; Endoskeleton; Morphogenesis; Paired fins; Teleost; Zebrafish **79, 99**

**Activin;** Zebrafish; *Danio rerio*; *goosecoid*; *no tail*; Protein kinase A; Mesoderm **79, 5**

**Aggrecan;** Chick; Notochord; Perinotochordal sheath; Cartilage formation; Segmental skeleton **79, 213**

**Agrin–laminin–perlecan–slit domain;** Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein–protein interactions; Limb development; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Alzheimer's disease;** Presenilin; Notch receptor; Subcellular localization; *Drosophila* **79, 199**

**ana; trol;** *Drosophila*; Neuroblast; Cyclin E; E2F **79, 121**

**Apical ectodermal ridge;** Actinopterygians; Apical fold; Chondrichthyan; *Danio rerio*; Endoskeleton; Morphogenesis; Paired fins; Teleost; Zebrafish **79, 99**

**Apical fold;** Actinopterygians; Apical ectodermal ridge; Chondrichthyan; *Danio rerio*; Endoskeleton; Morphogenesis; Paired fins; Teleost; Zebrafish **79, 99**

**Beta2;** Pax genes; Gastrointestinal hormones; Pdx-1; NeuroD; Gastrointestinal development **79, 153**

**brachyury;** Left–right asymmetry; Heart looping; *lefty*; *nodal*; *situs* **79, 29**

**Brain;** Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein–protein interactions; Agrin–laminin–perlecan–slit domain; Limb development; Metanephric mesenchyme; Spinal cord **79, 57**

**Cartilage formation;** Chick; Aggrecan; Notochord; Perinotochordal sheath; Segmental skeleton **79, 213**

**Cell fate;** Lateral inhibition; Somatic mesoderm; Notch; Neurogenic genes; *Drosophila* muscle **79, 39**

**Cell type specification;** Midbrain development; Cerebellar development; Eye development; *Mab21*; *mab-21* **79, 131**

**Cerebellar development;** Midbrain development; Eye development; *Mab21*; *mab-21*; Cell type specification **79, 131**

**Chick;** Aggrecan; Notochord; Perinotochordal sheath; Cartilage formation; Segmental skeleton **79, 213**

**Chondrichthyan;** Actinopterygians; Apical ectodermal ridge; Apical fold; *Danio rerio*; Endoskeleton; Morphogenesis; Paired fins; Teleost; Zebrafish **79, 99**

**CNS development;** Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; Protein–protein interactions; Agrin–laminin–perlecan–slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Cochlea;** TGF $\beta$ ; Spiral limbus; Epithelial–mesenchymal interaction; Mouse **79, 165**

**Coelomic epithelium;** Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**Cyclin E;** *trol*; *ana*; *Drosophila*; Neuroblast; E2F **79, 121**

**Danio rerio;** Actinopterygians; Apical ectodermal ridge; Apical fold; Chondrichthyan; Endoskeleton; Morphogenesis; Paired fins; Teleost; Zebrafish **79, 99**

**Danio rerio;** Zebrafish; *goosecoid*; *no tail*; Activin; Protein kinase A; Mesoderm **79, 5**

**Developmental regulation;** *Drosophila*; *XRN1*; Ribonucleases; RNA stability; RNA degradation; Trinucleotide repeats; *pacman* **79, 51**

**Diaphragm;** Coelomic epithelium; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**Dominant negative receptor;** Germ cell nuclear factor; Nuclear orphan receptor; Organogenesis; Germ cell nuclear factor overexpression; *Xenopus laevis* **79, 137**

**Dpp;** Homeobox; Proventriculus; Wingless; Endoderm **79, 83**

**Drosophila muscle;** Lateral inhibition; Somatic mesoderm; Cell fate; Notch; Neurogenic genes **79, 39**

**Drosophila;** *l(2)02970*; *ms(2)00331*; *l(2)08253*; *ken and barbie*; Zinc finger protein; Gap-genes **79, 161**

**Drosophila**; *trtl*; *ana*; Neuroblast; Cyclin E; E2F 79, 121

**Drosophila**; *XRN1*; Ribonucleases; RNA stability; Developmental regulation; RNA degradation; Trinucleotide repeats; *pacman* 79, 51

**Drosophila**; Muscle; Mesoderm; Receptor tyrosine kinase; *Egfr/DER*; Vein; Spitz 79, 73

**Drosophila**; Presenilin; Alzheimer's disease; Notch receptor; Subcellular localization 79, 199

**E2F**; *trtl*; *ana*; **Drosophila**; Neuroblast; Cyclin E 79, 121

**EGF repeat**; Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain 79, 57

**Egfr/DER**; Muscle; **Drosophila**; Mesoderm; Receptor tyrosine kinase; Vein; Spitz 79, 73

**Embryogenesis**; Transcription factor FAST-1; TGF $\beta$  superfamily; *Xenopus* 79, 17

**Endoderm**; Homeobox; Proventriculus; Wingless; Dpp 79, 83

**Endoskeleton**; Actinopterygians; Apical ectodermal ridge; Apical fold; Chondrichthyans; *Danio rerio*; Morphogenesis; Paired fins; Teleost; Zebrafish 79, 99

**Epithelial to mesenchymal cell type transition**; Coelomic epithelium; Diaphragm; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome 79, 169

**Epithelial-mesenchymal interaction**; TGF $\beta$ ; Cochlea; Spiral limbus; Mouse 79, 165

**Eye development**; Midbrain development; Cerebellar development; *Mab21*; *mab-21*; Cell type specification 79, 131

**Floor plate**; Midline glial cells; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain 79, 57

**Gap-genes**; *l(2)02970*; *ms(2)00331*; *l(2)08253*; *ken and barbie*; Zinc finger protein; **Drosophila** 79, 161

**Gastrointestinal development**; Pax genes; Gastrointestinal hormones; Pdx-1; NeuroD; Beta2 79, 153

**Gastrointestinal hormones**; Pax genes; Pdx-1; NeuroD; Beta2; Gastrointestinal development 79, 153

**Gene regulation**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome 79, 169

**Germ cell nuclear factor overexpression**; Germ cell nuclear factor; Nuclear orphan receptor; Organogenesis; Dominant negative receptor; *Xenopus laevis* 79, 137

**Germ cell nuclear factor**; Nuclear orphan receptor; Organogenesis; Dominant negative receptor; Germ cell nuclear factor overexpression; *Xenopus laevis* 79, 137

**goosecoid**; Zebrafish; *Danio rerio*; *no tail*; Activin; Protein kinase A; Mesoderm 79, 5

**Heart looping**; Left-right asymmetry; *brachyury*; *lefty*; *nodal*; *situs* 79, 29

**Hepatic sinusoids**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome 79, 169

**Homeobox**; Mouse embryonic stem cells; Neuronal differentiation; Retinoic acid; Motoneuron 79, 185

**Homeobox**; Proventriculus; Wingless; Dpp; Endoderm 79, 83

**Interdigital**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome 79, 169

**ken and barbie**; *l(2)02970*; *ms(2)00331*; *l(2)08253*; Zinc finger protein; Gap-genes; **Drosophila** 79, 161

*l(2)02970*; *ms(2)00331*; *l(2)08253*; *ken and barbie*; Zinc finger protein; Gap-genes; **Drosophila** 79, 161

*l(2)08253*; *l(2)02970*; *ms(2)00331*; *ken and barbie*; Zinc finger protein; Gap-genes; **Drosophila** 79, 161

**lacZ**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome 79, 169

**Lateral inhibition**; Somatic mesoderm; Cell fate; Notch; Neurogenic genes; **Drosophila** muscle 79, 39

**Left-right asymmetry**; *brachyury*; Heart looping; *lefty*; *nodal*; *situs* 79, 29

*lefty*; Left-right asymmetry; *brachyury*; Heart looping; *nodal*; *situs* 79, 29

**Leucine-rich repeat**; Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain 79, 57

**Limb development;** Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Limb metanephros;** Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**mab-21;** Midbrain development; Cerebellar development; Eye development; *Mab21*; Cell type specification **79, 131**

**Mab21;** Midbrain development; Cerebellar development; Eye development; *mab-21*; Cell type specification **79, 131**

**Mesenchymal to epithelial cell type transition;** Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**Mesoderm;** Muscle; *Drosophila*; Receptor tyrosine kinase; Egfr/DER; Vein; Spitz **79, 73**

**Mesoderm;** Zebrafish; *Danio rerio*; *goosecoid*; *no tail*; Activin; Protein kinase A **79, 5**

**Metanephric mesenchyme;** Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Spinal cord; Brain **79, 57**

**Midbrain development;** Cerebellar development; Eye development; *Mab21*; *mab-21*; Cell type specification **79, 131**

**Midline glial cells;** Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Morphogenesis;** Actinopterygians; Apical ectodermal ridge; Apical fold; Chondrichthyans; *Danio rerio*; Endoskeleton; Paired fins; Teleost; Zebrafish **79, 99**

**Motoneuron;** Mouse embryonic stem cells; Neuronal differentiation; Retinoic acid; Homeobox **79, 185**

**Motor neurons;** Midline glial cells; Floor plate; Roof plate; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Mouse embryo;** Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**Mouse embryonic stem cells;** Neuronal differentiation; Retinoic acid; Motoneuron; Homeobox **79, 185**

**Mouse;** TGF $\beta$ ; Cochlea; Spiral limbus; Epithelial-mesenchymal interaction **79, 165**

**Muscle;** *Drosophila*; Mesoderm; Receptor tyrosine kinase; Egfr/DER; Vein; Spitz **79, 73**

**ms(2)00331;** *l(2)02970*; *l(2)08253*; *ken and barbie*; Zinc finger protein; Gap-genes; *Drosophila* **79, 161**

**Nephric cord;** Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**Neuroblast;** *trol*; *ana*; *Drosophila*; Cyclin E; E2F **79, 121**

**NeuroD;** Pax genes; Gastrointestinal hormones; Pdx-1; Beta2; Gastrointestinal development **79, 153**

**Neurogenic genes;** Lateral inhibition; Somatic mesoderm; Cell fate; Notch; *Drosophila* muscle **79, 39**

**Neuronal differentiation;** Mouse embryonic stem cells; Retinoic acid; Motoneuron; Homeobox **79, 185**

**nodal;** Left-right asymmetry; *brachyury*; Heart looping; *lefty*; *situs* **79, 29**

**no tail;** Zebrafish; *Danio rerio*; *goosecoid*; Activin; Protein kinase A; Mesoderm **79, 5**

**Notch receptor;** Presenilin; Alzheimer's disease; Subcellular localization; *Drosophila* **79, 199**

**Notch;** Lateral inhibition; Somatic mesoderm; Cell fate; Neurogenic genes; *Drosophila* muscle **79, 39**

**Notochord;** Chick; Aggrecan; Perinotochordal sheath; Cartilage formation; Segmental skeleton **79, 213**

**Notochord;** Midline glial cells; Floor plate; Roof plate; Motor neurons; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Nuclear orphan receptor;** Germ cell nuclear factor; Organogenesis; Dominant negative receptor; Germ cell nuclear factor overexpression; *Xenopus laevis* **79, 137**

**Organizer;** Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Organogenesis;** Germ cell nuclear factor; Nuclear orphan receptor; Dominant negative receptor; Germ cell nuclear factor overexpression; *Xenopus laevis* **79, 137**

**pacman;** *Drosophila*; *XRN1*; Ribonucleases; RNA stability; Developmental regulation; RNA degradation; Trinucleotide repeats **79, 51**

**Paired fins;** Actinopterygians; Apical ectodermal ridge; Apical fold;



Chondrichthyan; *Danio rerio*; Endoskeleton; Morphogenesis; Teleost; Zebrafish **79, 99**

**Pax genes**; Gastrointestinal hormones; Pdx-1; NeuroD; Beta2; Gastrointestinal development **79, 153**

**Pdx-1**; Pax genes; Gastrointestinal hormones; NeuroD; Beta2; Gastrointestinal development **79, 153**

**Perinotochordal sheath**; Chick; Aggrecan; Notochord; Cartilage formation; Segmental skeleton **79, 213**

**Podocyte**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**Presenilin**; Alzheimer's disease; Notch receptor; Subcellular localization; *Drosophila* **79, 199**

**Protein kinase A**; Zebrafish; *Danio rerio*; *goosecoid*; *no tail*; Activin; Mesoderm **79, 5**

**Protein-protein interactions**; Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Proventriculus**; Homeobox; Wingless; Dpp; Endoderm **79, 83**

Receptor tyrosine kinase; Muscle; *Drosophila*; Mesoderm; Egfr/DER; Vein; Spitz **79, 73**

**Rete testis Sertoli**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**Retinoic acid**; Mouse embryonic stem cells; Neuronal differentiation; Motoneuron; Homeobox **79, 185**

**Ribonucleases**; *Drosophila*; *XRN1*; RNA stability; Developmental regulation; RNA degradation; Trinucleotide repeats; *pacman* **79, 51**

**RNA degradation**; *Drosophila*; *XRN1*; Ribonucleases; RNA stability; Developmental regulation; Trinucleotide repeats; *pacman* **79, 51**

**RNA stability**; *Drosophila*; *XRN1*; Ribonucleases; Developmental regulation; RNA degradation; Trinucleotide repeats; *pacman* **79, 51**

**Roof plate**; Midline glial cells; Floor plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Spinal cord; Brain **79, 57**

**Segmental skeleton**; Chick; Aggrecan; Notochord; Perinotochordal sheath; Cartilage formation **79, 213**

**Septum transversum**; Coelomic epithelium; Diaphragm; Epithelial to

mesenchymal cell type transition; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**situs**; Left-right asymmetry; *brachyury*; Heart looping; *lefty*; *nodal* **79, 29**

**Somatic mesoderm**; Lateral inhibition; Cell fate; Notch; Neurogenic genes; *Drosophila* muscle **79, 39**

**Spinal cord**; Midline glial cells; Floor plate; Roof plate; Motor neurons; Notochord; Organizer; Leucine-rich repeat; EGF repeat; CNS development; Protein-protein interactions; Agrin-laminin-perlecan-slit domain; Limb development; Metanephric mesenchyme; Brain **79, 57**

**Spiral limbus**; TGF $\beta$ ; Cochlea; Epithelial-mesenchymal interaction; Mouse **79, 165**

**Spitz**; Muscle; *Drosophila*; Mesoderm; Receptor tyrosine kinase; Egfr/DER; Vein **79, 73**

**Subcellular localization**; Presenilin; Alzheimer's disease; Notch receptor; *Drosophila* **79, 199**

**Teleost**; Actinopterygians; Apical ectodermal ridge; Apical fold; Chondrichthyan; *Danio rerio*; Endoskeleton; Morphogenesis; Paired fins; Zebrafish **79, 99**

**TGF $\beta$  superfamily**; Transcription factor FAST-1; *Xenopus*; Embryogenesis **79, 17**

**TGF $\beta$** ; Cochlea; Spiral limbus; Epithelial-mesenchymal interaction; Mouse **79, 165**

**Transcription factor FAST-1**; TGF $\beta$  superfamily; *Xenopus*; Embryogenesis **79, 17**

**Transgenic**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Wilms' Tumour I gene; Yeast artificial chromosome **79, 169**

**Trinucleotide repeats**; *Drosophila*; *XRN1*; Ribonucleases; RNA stability; Developmental regulation; RNA degradation; *pacman* **79, 51**

**Vein**; Muscle; *Drosophila*; Mesoderm; Receptor tyrosine kinase; Egfr/DER; Spitz **79, 73**

*trof*; *ana*; *Drosophila*; Neuroblast; Cyclin E; E2F **79, 121**

**Wilms' Tumour I gene**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podocyte; Gene regulation; Rete testis Sertoli; Transgenic; Yeast artificial chromosome **79, 169**

**Wingless**; Homeobox; Proventriculus; Dpp; Endoderm **79, 83**

*Xenopus laevis*; Germ cell nuclear factor; Nuclear orphan receptor;

Organogenesis; Dominant negative receptor; Germ cell nuclear factor overexpression **79**, 137

**Xenopus**; Transcription factor FAST-1; TGF $\beta$  superfamily; Embryogenesis **79**, 17

**XRNI**; *Drosophila*; Ribonucleases; RNA stability; Developmental regulation; RNA degradation; Trinucleotide repeats; *pacman* **79**, 51

**Yeast artificial chromosome**; Coelomic epithelium; Diaphragm; Epithelial to mesenchymal cell type transition; Septum transversum; Hepatic sinusoids; Interdigital; Mesenchymal to epithelial cell type transition; lacZ; Limb metanephros; Mouse embryo; Nephric cord; Podo-

cyte; Gene regulation; Rete testis Sertoli; Transgenic; Wilms' Tumour I gene **79**, 169

**Zebrafish**; *Danio rerio*; *goosecoid*; *no tail*; Activin; Protein kinase A; Mesoderm **79**, 5

**Zebrafish**; Actinopterygians; Apical ectodermal ridge; Apical fold; Chondrichthyans; *Danio rerio*; Endoskeleton; Morphogenesis; Paired fins; Teleost **79**, 99

**Zinc finger protein**; *l(2)02970*; *mst(2)00331*; *l(2)08253*; *ken and barbie*; Gap-genes; *Drosophila* **79**, 161